

TapTech Pro® Series

UltraFiltration Faucet Filter
(Anti Legionella/Bacteria)




TAPTECH PRO®



MENTOR
WATER TECHNOLOGIES

Redefining
Water Purity



TapTech Pro® Series is an advanced filtration system adaptor that seamlessly integrates with your existing faucet. It incorporates a state-of-the-art filter designed to help reduce exposure to waterborne pathogens like Legionella, NTM (Non-tuberculous mycobacteria), E. Coli, Salmonella, Pseudomonas, and more.

With a pore size of 0.08 μm , the system provides high-efficiency bacterial reduction, certified under ASTM F838-2015ae for Legionella reduction (Log 8), ensuring enhanced water safety for everyday use.

Each filter provides up to 8,000 liters (2,113 gallons) of purified water for up to 180 days, depending on the initial water quality.*



TapTech Pro® is meticulously engineered for a wide range of industries, including healthcare, hospitality, food and beverage, and industrial sectors. It enhances the safety of applications such as medical device flushing, surgical hand-washing, food preparation, beverage creation, and hygiene procedures. By providing high-efficiency bacterial reduction, it helps reduce exposure to waterborne pathogens like Legionella and other harmful bacteria, ensuring safe water across diverse environments.

Each TapTech Pro® Series is equipped with our exclusive Bacteria-Reduction (Legionella) filter, designed for a perfect fit within the faucet. This unique setup ensures the filter housing forms a secure, leak-proof seal with the handle, maximizing filtration efficiency and water safety.

*Capacity depends on local water conditions, the amount of microparticles (SDI), and pre-filtration. SDI is measured according to ASTM D4189-95. It is recommended that the filter cartridge be replaced after 6 months. The amount of impurities in the water will vary between water systems, so filters will become clogged at different rates.

FEATURES

- + 0.08 μm ultrafiltration delivers certified Log 8 bacterial reduction
- + Reusable Anti-Microbial Head exchangeable with Filter Cartridge
- + Compatible with ADA compliant pause adapter
- + Robust pre-filtration cartridge
- + Tested and complies with P376 + ASTM F838-2015ae1 + ASSE LEC 2011-2022 *Legionella* reduction standards
- + in Compliance with EPA WaterSense & ASTM F838-2020
- + EU Drinking Water Directive (2020/2184)
DIN EN 16421 & 58356


BENEFITS

- + Highest safety standards with NSF P376 Certification
- + Retains microorganisms without volume restriction
- + Waste reduction, cost reduction with high performance
- + Enhanced Anti-Microbial protection embedded throughout the system
- + Integrates with Legionella Water Management Plans

International standard & reliability tests

Our products are subject to stringent testing processes to align with global standards. Right from the development stage of our water purifiers and filters, we prioritize durability, safety, performance, and functionality.

This commitment is demonstrated through comprehensive reliability testing that conforms to international stress test standards, ensuring our products meet the highest quality criteria.



Instruction For Use (IFU):



Redefining Water Purity



PRODUCT DETAILS

Mentor Water Technology Products are designed with a proactive approach, aiming to achieve an unparalleled standard in water purification. The unique pore size of 0.08 microns prevents any organisms larger than 0.08 microns from passing through the membrane.

Using **ABS in combination with Biomaster** material prevents any bacteria or viruses from multiplying, growing, or existing in and on the product.

Thanks to our new membrane technology, the filter boasts an extended lifespan. The filter can be safely replaced, ensuring continued performance and effective bacterial reduction. Unlike similar handheld showers with exchangeable filters, where contaminated water may flow through the filter, our design prevents this by mounting the membranes directly into the handle.

This innovative method ensures the provision of **8,000 liters (2,113 gallons) of safe and pure drinking water**, contingent upon the original water quality.



This product is treated with Biomaster silver biocide tested ISO 22196:2011

Is the additive effective against antibiotic-resistant bacteria?

Yes, Biomaster has been proven effective against antibiotic-resistant bacteria, including resistant *Staphylococcus aureus* (MRSA) and Vancomycin-resistant *Enterococcus* (VRE).



1

Biomaster **binds** to the cell wall **disrupting growth**



2

Biomaster ions **interferes** with the enzyme production **stopping the cell producing energy**



3

Biomaster **intrerrupts** the cell's DNA **preventing replication**



- + **Tested** to ISO standards
- + **Inhibits** growth of Fungi by up to **99.99%**
- + **Reduces** the risk of cross-contamination
- + **Protection** that lasts for the lifetime of the product
- + **EPA (WaterSense)** approval

TECHNICAL CHARACTERISTICS



Sterilization and Quality Assurance

When requested, our filters can be produced using sterilized materials and tested in accordance with the standards set forth by ISO 9001:2008. Our products are certified as CE Marked devices and manufactured under a quality system aligned with EN ISO 13485:2003 & ISO 11137 - 1:2006, ensuring the highest level of quality and safety.



The TapTech Pro® Series offers two models:

1. TapTech Pro® Short (22mm)
Material - Brass & Medical ABS
2. TapTech Pro® Long(24mm)
Material - Brass & Medical ABS



Comprehensive Testing

Each product undergoes 100% testing for membrane integrity and leak tightness, affirming our commitment to reliability and performance.



Durability

Demonstrated physical resilience against temperature fluctuations and chlorine exposure, with a proven performance lifespan of 8,000 liters (2,113 gallons) up to 180 days, depending on the quality of the source water.





Filtration Capacity

A substantial filtration area of 3,400cm² / 527in² (Hollow Fiber) is designed for maximum efficiency and effectiveness in water purification.



Safety and Compliance

Certified and tested under the following standards:

- NSF P376 - Bacteria and fungal reduction
- ASSE LEC 2011-2022 - U.S. Water Engineering Association standard for bacteria reduction
- ASTM F838-2015ae - Legionella pneumophila reduction to Log 8 (99.999999%)
- ASTM F838-20 - Validated for bacterial retention
- Meets European safety and compliance standards, including the EU Drinking Water Directive (Directive (EU) 2020/2184) and DIN EN 16421 and 58356.



Transparency and Trust

A complete test dossier, including certified Legionella analysis, is available upon request to support transparency and build confidence with our clients and partners.




Efficiency

Tested and certified to achieve up to 99.999999% (Log 8) reduction of Legionella pneumophila and other waterborne bacteria, demonstrating the effectiveness of our technology in maintaining high water quality standards.

P376 MICROBIOLOGICAL FILTRATION REQUIREMENTS FOR CHALLENGE ORGANISMS & REDUCTION REQUIREMENTS

ORGANISM	Maximum influent concentration (cfu/L)	Minimum required reduction (%)
<i>Legionella pneumophila</i> ATCC 33152	1 x 10 ¹¹	99.9999 (6.0 log)
<i>Brevundimonas diminuta</i> ATCC 19146	1 x 10 ¹¹	99.9999 (6.0 log)
<i>Pseudomonas aeruginosa</i> ATCC 13388	1 x 10 ¹¹	99.9999 (6.0 log)
<i>Aspergillus fumigatus</i> ATCC 10894	1 x 10 ⁹	99.99 (4.0 log)

Filtration Spectrum:





ABOUT US

Redefining Water Purity

Mentor Water Technologies BV, based in the Netherlands, leads in innovative water purification solutions for a sustainable future. Our extensive Research & Development division, where water experts from diverse continents collaborate, drives our commitment to high-quality, accessible, and affordable water purification technologies. Founded by Mentor Capital Holdings BV, a global Dutch investment advisory firm, Mentor Water Technologies benefits from over two decades of international expertise. Our systems are designed for superior efficiency and cost-effectiveness, ensuring exceptional value for our clients.

As a proud member of Mentor Capital Holdings BV, we believe in nurturing relationships through a personal touch, embodied by our employees and distributors worldwide. At Mentor Water Technologies, we provide not only the finest water purification solutions but also unparalleled service to meet your needs.



Patented Technology

Harnessing exclusive innovations for superior performance



R&D and Innovative Solutions

We leverage science to develop unique water purification solutions.



Price Affordability

Creates that you will promote to the target market.



Simple Setup

Designed for easy installation, requiring no special tools, just simple fitting.



Certified & tested Equipment

Our products are certified at the highest standards through rigorous third-party testing.

